Stomach resection for tumor template (Macroscopic description)

Specimen: Specimen dimensions, length of each anatomical component: greater curvecm, lesser curvecm, esophaguscm, Duodenumcm Macroscopic tumor site: Cardia, Fundus, Antrum, Body, Pylorus, Greater curve, Lesser curve, Anterior wall, Posterior wall Macroscopic tumor type: infiltrative, fungating, ulcerated, polypoid, flat, depressed Tumor size (maximum tumor diameter):cm Distance from tumor to proximal margin: Distance from tumor to distal margin: Serosal appearance: intact/involved Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	Patient name: Clinical data:	Pathology no:
Macroscopic tumor site: Cardia, Fundus, Antrum, Body, Pylorus, Greater curve, Lesser curve, Anterior wall, Posterior wall Macroscopic tumor type: infiltrative, fungating, ulcerated, polypoid, flat, depressed Tumor size (maximum tumor diameter):cm Distance from tumor to proximal margin: Distance from tumor to distal margin: Serosal appearance: intact/involved Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	Labeled as: Specimen:	
Macroscopic tumor type: infiltrative, fungating, ulcerated, polypoid, flat, depressed Tumor size (maximum tumor diameter):cm Distance from tumor to proximal margin: Distance from tumor to distal margin: Serosal appearance: intact/involved Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	•	nical component: greater curvecm, lesser curvecm, esophaguscm,
Tumor size (maximum tumor diameter):cm Distance from tumor to proximal margin: Distance from tumor to distal margin: Serosal appearance: intact/involved Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	Macroscopic tumor site: Cardia, Fundus, Antrum, Bo	dy, Pylorus, Greater curve, Lesser curve, Anterior wall, Posterior wall
Distance from tumor to proximal margin: Distance from tumor to distal margin: Serosal appearance: intact/involved Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	Macroscopic tumor type: infiltrative, fungating, ulce	erated, polypoid, flat, depressed
Distance from tumor to distal margin: Serosal appearance: intact/involved Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	Tumor size (maximum tumor diameter):cm	1
Serosal appearance: intact/involved Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	Distance from tumor to proximal margin:	
Lymph nodes: (composed of lymph nodes, the greatest lymph node measuring	Distance from tumor to distal margin:	
	Serosal appearance: intact/involved	
Other findings:	Lymph nodes: (composed of lymph nodes, the greate	est lymph node measuring
	Other findings:	